Abstract

A Two-purpose Ladle

The present Utility Model relates to a kitchen tool, which consists of a ladle body 1, a turnable ladle body 2, a pull rod, a switch and a projuction. In use, the ladle body 1 may be turned by the control switch under the action of the pull rod, whereby performing two purposes. Its advantages are simple in structure, easy in production, fine in design and wide in use.



[12] 实用新型专利说明书

[21] ZL 专利号 93211648.5

[45]授权公告日 1994年5月4日

[51]Int.Cl⁵
A47J 43 / 28

[22]申请日 93.4.5 [24]頻证日 94.3.18

[73]专利权人 王 彬

地址 102401北京市良乡镇南关街124号(房山区)

[72]设计人 王 彬

[21]申请号 93211648.5

A47G 21 / 04

说明书页数:


附图页数:

.

[57]摘要

[54]实用新型名称 两用方便勺

本实用新型是一种两用的饮食业的勺类餐具,由勺身 1、勺身 2、拉杆、开关、连鼻组成,在使用时,可以通过开关的控制,在拉杆的作用下,使勺身 1 转动,从而达到两用目的。本实用新型具有结构科学合理,生产使用方便,设计美观,用途广泛等优点。



(BJ)第 1452 号

- 1. 一种两用方便勺, 其特征在于转动勺身(2) 包附在主勺身(1) 的外面, 推拉开关(5) 设置在一长孔滑槽中并与连杆(6) 连接, 连杆(6) 与挡 销(7) 连接, 连杆(8) 与连鼻(9) 连接, 连鼻(9) 与转动勺身(2) 相连接.
- 2. 根据权利要求1 所述的两用方便勺, 其特征在于在主勺身(1) 和转动勺身(2) 中均有漏孔, 两勺中漏孔的直径及孔之间的间隙相同。

两用方便勺

本实用新型涉及一种饮食业勺类餐具, 尤其是能同时作为漏勺和汤勺的两用方便勺。

目前,我国市场上销售的饮食业勺类餐具其作用都是单一性的。比如,如果是漏勺,就只能是单一的漏勺,只能起到从锅里捞东西漏水的作用如果是汤勺,就只能起到从锅里舀水的作用。当人们想两者兼用时,必须用两个勺交替使用,给使用者造成一定的困难。

本实用新型的目的是提供一种两用方便勺,它不仅能作为漏勺,而且 也能作为汤勺同时使用。

本实用新型的目的是这样实现的,转动勺身(2) 包附在主勺身(1) 的外面,推拉开关(5) 设置在一长孔滑槽中并与连杆(6) 连接,连杆(6) 与挡销(7) 连接,连杆(8) 与连鼻(9) 连接,连鼻(9) 与转动勺身(2) 相连接。在主勺身(1) 和转动勺身(2) 中均打有漏孔,两勺中漏孔的直径及孔之间的间隙相同。当移动推拉开关(5) 时,拉杆(6) 随之移动,带动连杆(8) 移动,使主勺身(1) 及转动勺身(2) 相对运动,以达到即可以作为汤勺又可以作为漏勺的目的。

由于采用了上述方案,可以在一个两用方便勺上同时实现作为漏勺和汤勺的目的。


下面结合附图和实施例对本实用新型进一步说明。

图中 1. 主勺身 2. 转动勺身 3. 勺把 4. 把柄

5. 推拉开关 6. 拉杆 7. 挡销 8. 连杆

9. 连鼻

在图1 所示的实施例中,两用方便勺由主勺身(1) 及转动勺身(2),勺把(3)、把柄(4)、推拉开关(5)、拉杆(6)、挡销(7)、连杆(8)、连鼻(9) 组成,当移动推拉开关(5)时,转动勺身(2)通过连杆(6),挡销(7)及连杆(8)的传递力的作用而转动。主勺身(1)与转动勺身(2)在连杆的作用下相对运动,可以叠合,也可以不叠合。当叠合时,即为漏勺;不叠合的时候为汤勺。



اب (چي

1004 93. 1

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.